POLE MOSS

SPEC SHEET 2022

green OASIS

Product Detail

Product:	Moss
Surface:	Wall/Ceiling
Composition:	Preserved Forest Moss
Material:	Moss + Preservatives
Weight:	0.8 lbs /sq. ft with felt substrate
Thickness:	2.5”-3.5”

Color Options

NATURE GREEN

LIGHT GREEN

Dimensions







Technical Specifications

Sound Absorption: NRC rating: 0.85 and SAA rating: 0.86

M8687.01 GRAPH



SAMPLE TYPE	Felt panels with preserved moss							
MOUNTING TYPE	A							
DATA FILE NO.	1/3 OCTAVE SOUND ABSORPTION COEFFICIENTS AT THE OCTAVE BAND FREQUENCIES						NRC	SAA
	125	250	500	1000	2000	4000		
M8687.01	0.08	0.43	0.99	1.05	0.94	0.97	0.85	0.86

PRODUCT PHOTOS: POLE MOSS

REINDEER MOSS

SPEC SHEET 2022

green OASIS

Product Detail

Product:	Moss
Surface:	Wall/Ceiling
Composition:	Preserved Lichen
Material:	Moss + Preservatives
Weight:	1.4 lbs /sq. ft with felt substrate
Thickness:	2.5”-3.5”

Colors

Next Page

Technical Specifications

Sound Absorption: NRC rating: 0.55

Fire Test Method Number: CLASS A (Technical info pending)

Dimensions



REINDEER MOSS COLORWAYS

NATURE GREEN

FOREST GREEN

MEDIUM GREEN

LIME GREEN

LIGHT GREEN

ORANGE



PINK

BLACK

BLUE



PURPLE

WHITE



YELLOW



RED

BROWN

PRODUCT PHOTOS: REINDEER MOSS

FLAT MOSS

SPEC SHEET 2022

green OASIS

Product Detail

Product:	Moss
Surface:	Wall/Ceiling
Composition:	Preserved Moss
Material:	Moss + Preservatives
Weight:	0.6 lbs /sq. ft with felt substrate
Thickness:	2.5”-3.5”

Technical Specifications

Sound Absorption: TBA

Fire Test Method Number: TBA

Dimensions



PRODUCT PHOTOS: FLAT MOSS



Flat Moss with Pole Moss

Flat Moss with Reindeer Moss

PILLOW MOSS

SPEC SHEET 2022

green OASIS

Product Detail

Product:	Moss
Surface:	Wall/Ceiling
Composition:	Preserved Moss
Material:	Moss + Preservatives
Weight:	1.2 lbs /sq. ft with felt substrate
Thickness:	3.5”-5.5”

Technical Specifications

Sound Absorption: TBA

Fire Test Method Number: TBA

Dimensions



SPEC SHEET: SUBSTRATES

Product Detail: FELT BOARD

Product: Acoustic Felt Panel
Surface: Wall/Ceiling
Material: 60% Recycled PET

Weight: 1500GSM (44.2 opsy)
Thickness: 9.5mm

Technical Specifications

Fire Test Method Number: ASTM E84 Class A Fire Rating

Product Detail: BALTIC BIRCH PLYWOOD

Product: Plywood
Surface: Wood Composite
Material: 100% Baltic Birch Plywood

Weight: Varies per project
Thickness: 1/4" or 1/2" (Frames are always 1/2")

Technical Specifications

SPEC SHEET: SUBSTRATES

Product Detail: ALUMINUM

Product:	Aluminium
Surface:	Metal
Material:	100% Aluminum
Weight:	Varies per Project
Thickness:	1/4”

FRAMING OPTIONS

WOOD FRAME

ALUMINUM FRAME

Matte Black
Brushed Silver

MOUNTING OPTIONS



TRADITIONAL



Z-CLIP